

STATUTORY CONDITIONS OF APPROVAL RELATING TO USE. FOR USE ONLY AS AN INSECTICIDE.

Application rate:

Large infestation: - non-porous surfaces (wood, glass, ceramics): dilute 100 mL of Effect MicroTech CS into 5 L of water. The solution is appropriate for use on 100 m² of surface, - porous surfaces (concete surface): dilute 125 mL of Effect MicroTech CS into 5 L of water. The solution is appropriate for use on 100 m² of surface.

small infestation: • non-porous surfaces (wood, glass, ceramics): dilute 25 mL of Effect MicroTech CS into 5 L of water. The solution is appropriate for use on 100 m² of surface

appropriate for use on 100 m² of surface. Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including

complying with all Conditions of Approval.

READ ALL PRECAUTIONS BEFORE USE. HSE No.: 9401

Insecticide for professional use against crawling insects such as cockroaches (Blatella germanica, Blatta orientalis) and ants (Lasius niger) indoors and outdoors. To avoid risks to man and the environment, comply with the instructions for use.

EFECT: The preparation includes tetramethrin, permethrin and PRO. Tetramethrin has a fast-working effect. (Knock-down effect, while permethrin incorporates an extra residual effect, and PRO increases the preparation effectiveness paramountly. The product affects the insect's nervous system—works quickly upon contact and/or when injected. It has an exceptionally long-lasting effect, even up to 6 months which is a result of the special microargulus membrane that enables a slower release of the active substance. In addition, the capulous storation is a storage to the insect's body and thus significantly increase the efficiency of the insecticide. DIRECTION FOR USE: Insecticide for professional use against crawling insects such as cockroaches (Bietele permunic, Bieter orientals) and ants (Isasis miger) by application to crask, crevice, produces such as to a complex or product such as a well as public areas, transport vehicles, waste storage containers, animal transport vehicles and their him quarters, in industrial food storages and storage compartments and in the buildings's arrounding area. Efficiency is achieved within 48 hours. The product is indent for use immediately after preparation. Shake product before use. Spray on insect-intested areas, in wall cracks, on wall edges, and in all hidder grades and other texted synatrics. Place the substance of the product before use. Spray on insect-intested areas, in wall cracks, on wall edges, and in all hidder places. After use and the treated synatrics. Place the substance is a substance of the product before use. Spray on insect-intested areas, in wall cracks, on wall edges, and in all hidder places. After use and the treated synatrics. Place the substance is a substance in the places of the product before use. Spray on insect-intested areas, in wall cracks, on wall edges, and in all hidder places. After use and the treated synatrics was a substance in the places and the places and the places and the places. After use and the places are also appear to the places and

DISPOSAL OF UNUSED QUANTITIES AND THE PACKAGING: Waste chemical: Disposal must be made according to official regulations: to leave it to authorized collector/remover/transformer of hazardous waste. Packaging: Completely empited container dispose according to regulations. STORAGE: Keep in cool and good ventilated area. Keep away from food, drink and animal feedingstuffs. Keep out of the reach of children. When stored in a dry place at ambient temperature Effect Microflech CS has a shelf life of 2 years.

Date of production, date of expiry and batch no.: on the packing, CONTAINS: 500 ml

Formulation: Microencapsulated concentrate (CS)

Contains: - Permethrin (ISO) 8% (80 g/L) numer CAS: 52645-53-1, - Tetramethrin (ISO) 4% (40 g/L) numer CAS: 7696-12-0,

- PBO — piperonyl butoxide 8% (80 g/L) numer CAS: 51-03-6

Warnings: May cause an allergic skin reaction. Suspected of causing cancer. Very track to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood. Awd the brating dust/michy among/samis/shappuns/spray, Contaminated work cothing should not be allowed out of the workplace. Avoid release to the environment. IF ON SOILE Wash with plenty of scap and water. If skin irritation or rash occurs Get medical advice/tatterion by Dispose of contents/container in accordance with national requisition.

Manufacturer and approval holder: UNICHEM d.o.o., Sinja Gorica 2, 1360 Vrhnika, Slovenia,

Tel.: +386 1 75 58 152, unichem@unichem.si, www.unichem.si

Marketing company: Killgerm Chemicals Ltd, P. O. BOX 2, Ossett, West Yorkshire, WF5 9NA, UK, Tel.: 01924 268 400, www.Killgerm.com



Containing: **0,5 L** 31950