

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	AQUAPY
Product code	:	UVP: 06477402 Specification: 102000011789
Unique Formula Identifier (UFI)	:	V151-W0DT-J00K-Y72A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture	:	Insecticide
Recommended restrictions on use	:	For professional users only.

1.3 Details of the supplier of the safety data sheet

Company	:	2022 Environmental Science FR S.A.S. 1 Place Giovanni Da Verrazzano 69009 Lyon, France
Telephone	:	+41 0800 1214 9451
E-mail address of person responsible for the SDS	:	service.clients.es.france@envu.com

1.4 Emergency telephone number

National Poisons Information Centre (for public):
+353 1 809 2166

National Poisons Information Centre (for professionals):
+353 1 809 2566

For Emergency or Spill call:
+353 1 901 4670 (24/7 multilingual support)

National Poison Information Centre: for public: 01 809 2166; for professionals: 01 809 2566

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

REGULATION (EC) No 1272/2008	
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P273 Avoid release to the environment. Response: P391 Collect spillage. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
EUH208	Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Emulsion, oil in water (EW)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version 5.0 Revision Date: 09.06.2026 SDS Number: 11660144-00006 Date of last issue: 05.05.2026
Date of first issue: 04.03.2026

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO)	51-03-6 200-076-7 604-096-00-0 01-2119537431-46	Eye Irrit. 2; H319 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH066 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 10 - < 20
Chrysanthemum cinerariaefolium, ext.	89997-63-7 289-699-3	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Acute toxicity estimate Acute oral toxicity: 500 mg/kg Acute inhalation toxicity (dust/mist): 3.4 mg/l Acute dermal toxicity: 1,100 mg/kg	>= 2.5 - < 10
Poly(oxy-1,2-ethanediyl), α-methyl-ω-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-	27306-78-1	Acute Tox. 4; H332 Eye Irrit. 2; H319 Aquatic Chronic 2; H411 Acute toxicity estimate Acute inhalation toxicity (dust/mist): 1.5	>= 2.5 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version 5.0 Revision Date: 09.06.2026 SDS Number: 11660144-00006 Date of last issue: 05.05.2026
Date of first issue: 04.03.2026

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	Not Assigned 01-2119456620-43	mg/l Asp. Tox. 1; H304 EUH066	>= 1 - < 10
(Z)-9-Octadecen-1-ol ethoxylated	9004-98-2	Eye Dam. 1; H318	>= 1 - < 3
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9 613-167-00-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0.6 % Skin Irrit. 2; H315 0.06 - < 0.6 % Eye Irrit. 2; H319 0.06 - < 0.6 % Skin Sens. 1A; H317 >= 0.0015 % Eye Dam. 1; H318 >= 0.6 % EUH071 >= 0.6 % Acute toxicity esti- mate Acute oral toxicity: 64 mg/kg Acute inhalation tox- icity (dust/mist): 0.171 mg/l Acute dermal toxicity: 87.12 mg/kg	>= 0.0002 - < 0.0015

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

Alternative CAS Numbers for some regions

Chemical name	Alternative CAS Number(s)
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	2682-20-4, 26172-55-4

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders	: No special precautions are necessary for first aid responders.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: The product causes irritation of eyes, skin and mucous membranes. Skin and eye paraesthesia which may be severe Usually transient with resolution within 24 hours Cough sneezing discomfort in the chest tachycardia hypotension Nausea Abdominal pain Diarrhoea Vomiting Blurred vision Headache anorexia Somnolence Coma Convulsions Tremors Prostration Airway hyperreaction Pulmonary oedema Palpitation
----------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

muscle twitching
Dizziness

Risks : May produce an allergic reaction.

This product contains a pyrethroid.
Pyrethroid poisoning should not be confused with carbamate
or organophosphate poisoning.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Initial treatment: symptomatic.
Monitor: respiratory and cardiac functions.
In case of ingestion gastric lavage should be considered in
cases of significant ingestions only within the first 2 hours.
However, the application of activated charcoal and sodium
sulphate is always advisable.
Keep respiratory tract clear.
Oxygen or artificial respiration if needed.
In case of convulsions, a benzodiazepine (e.g. diazepam)
should be given according to standard regimens.
If not effective, phenobarbital may be used.
Contraindication: atropine.
Contraindication: derivatives of adrenaline.
There is no specific antidote available.
Recovery is spontaneous and without sequelae.
In case of skin irritation, application of oils or lotions containing
vitamin E may be considered.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Silicon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version 5.0 Revision Date: 09.06.2026 SDS Number: 11660144-00006 Date of last issue: 05.05.2026
Date of first issue: 04.03.2026

|| Hygiene measures : Take care to prevent spills, waste and minimize release to the environment.
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

|| Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.
|| Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

|| Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO)	Workers	Inhalation	Long-term systemic effects	3.875 mg/m3
	Workers	Inhalation	Acute systemic effects	7.75 mg/m3
	Workers	Inhalation	Long-term systemic effects	3.875 mg/m3
	Workers	Inhalation	Acute local effects	3.875 mg/m3
	Workers	Skin contact	Long-term systemic effects	27.7 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	55.5 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0.44 mg/cm2
	Workers	Skin contact	Acute local effects	0.888 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	1.94 mg/m3
	Consumers	Inhalation	Acute systemic effects	3.875 mg/m3
	Consumers	Inhalation	Long-term local effects	1.94 mg/m3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version 5.0 Revision Date: 09.06.2026 SDS Number: 11660144-00006 Date of last issue: 05.05.2026
Date of first issue: 04.03.2026

			fects	
	Consumers	Inhalation	Acute local effects	1.94 mg/m3
	Consumers	Skin contact	Long-term systemic effects	13.9 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	27.8 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0.22 mg/cm2
	Consumers	Skin contact	Acute local effects	0.22 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	1.14 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	2.3 mg/kg bw/day
Glycerides, mixed decanoyl and octanoyl	Workers	Inhalation	Long-term systemic effects	177.79 mg/m3
	Workers	Skin contact	Long-term systemic effects	25.21 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	43.84 mg/m3
	Consumers	Skin contact	Long-term systemic effects	12.61 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	12.61 mg/kg bw/day
Hexadecan-1-ol	Workers	Inhalation	Long-term systemic effects	220 mg/m3
	Workers	Inhalation	Acute systemic effects	220 mg/m3
	Workers	Skin contact	Long-term systemic effects	125 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	125 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	65 mg/m3
	Consumers	Inhalation	Acute systemic effects	65 mg/m3
	Consumers	Skin contact	Long-term systemic effects	75 mg/kg bw/day
	Consumers	Ingestion		75 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO)	Fresh water	0.001 mg/l
	Marine water	0.0001 - 0.000148 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.019 mg/kg
	Marine sediment	0.0002 mg/kg
	Soil	0.016 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version 5.0 Revision Date: 09.06.2026 SDS Number: 11660144-00006 Date of last issue: 05.05.2026
Date of first issue: 04.03.2026

	Oral (Secondary Poisoning)	12.53 mg/kg food
Glycerides, mixed decanoyl and octanoyl	Oral (Secondary Poisoning)	0.03 mg/kg food
Hexadecan-1-ol	Fresh water sediment	30 mg/kg dry weight (d.w.)
	Marine sediment	3 mg/kg dry weight (d.w.)
	Soil	5.8 mg/kg dry weight (d.w.)

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear the following personal protective equipment:
Safety glasses
Equipment should conform to I.S. EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm
Guideline : Equipment should conform to I.S. EN 374

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Skin and body protection : Skin should be washed after contact.
Filter type : Organic vapour type (A)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid (20 °C)
Form : Emulsion
Colour : White to light yellow
Odour : characteristic, very faint
Odour Threshold : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 103 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	3.1 - 5.0 (23 °C) Concentration: 100 %
Viscosity		
Viscosity, dynamic	:	<= 100 mPa.s (20 °C)
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density	:	1.00 g/cm ³ (20.00 °C)
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	<= 5.00 µm

9.2 Other information

Explosives	:	Not explosive
------------	---	---------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Surface tension	:	25.80 mN/m, 25 °C
Minimum ignition energy	:	No data available
Molecular weight	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

|| Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

Chrysanthemum cinerariaefolium, ext.:

Acute oral toxicity : LD50 (Rat): 700 - 2,140 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg
Method: Expert judgement
Remarks: Based on national or regional regulation.

Poly(oxy-1,2-ethanediyl), α -methyl- ω -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

(Z)-9-Octadecen-1-ol ethoxylated:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

Acute oral toxicity : LD50 (Rat): 2,760 mg/kg

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Acute oral toxicity : LD50 (Rat): 64 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.171 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 87.12 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

Chrysanthemum cinerariaefolium, ext.:

Species : Rabbit
Result : No skin irritation

Poly(oxy-1,2-ethanediyl), α -methyl- ω -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:

Species : Rabbit
Result : No skin irritation

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Assessment : Repeated exposure may cause skin dryness or cracking.

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irritation to eyes, reversing within 21 days

Chrysanthemum cinerariaefolium, ext.:

Species	: Rabbit
Result	: No eye irritation

Poly(oxy-1,2-ethanediyl), α -methyl- ω -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Species	: Rabbit
Result	: No eye irritation
Remarks	: Based on data from similar materials

(Z)-9-Octadecen-1-ol ethoxylated:

Result	: Irreversible effects on the eye
--------	-----------------------------------

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Result	: Irreversible effects on the eye
Remarks	: Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

Product:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Assessment	: Does not cause skin sensitisation.
Method	: OECD Test Guideline 429
Result	: negative

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Poly(oxy-1,2-ethanediyl), α -methyl- ω -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:

Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: positive

Assessment	: Probability or evidence of high skin sensitisation rate in humans
------------	---

Germ cell mutagenicity

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

Chrysanthemum cinerariaefolium, ext.:

Genotoxicity in vitro : Result: negative

Poly(oxy-1,2-ethanediyl), α -methyl- ω -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Species : Rat
Application Route : Ingestion
Exposure time : 107 weeks
Method : OECD Test Guideline 451
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Effects on foetal development : Test Type: Embryo-foetal development

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

ment	Species: Rat
	Application Route: inhalation (vapour)
	Result: negative

STOT - single exposure

|| Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

|| Assessment : May cause respiratory irritation.

STOT - repeated exposure

|| Not classified based on available information.

Repeated dose toxicity

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Species	: Rat
NOAEL	: 1,323 mg/kg
Application Route	: Ingestion
Exposure time	: 7 Weeks

Aspiration hazard

|| Not classified based on available information.

Components:

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:

|| The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

|| Not classified based on available information.

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.24 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.216 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): 4.9 mg/l Exposure time: 72 h

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): 3.94 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.51 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0.824 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50 : > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	:	NOEC: 0.18 mg/l Exposure time: 35 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.03 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

M-Factor (Chronic aquatic toxicity) : 1

Chrysanthemum cinerariaefolium, ext.:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0052 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.012 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): 32.66 mg/l Exposure time: 72 h NOEC (Desmodesmus subspicatus (green algae)): 15.15 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.00086 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 100

Poly(oxy-1,2-ethanediyl), α -methyl- ω -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 6.8 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 25 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 32 mg/l Exposure time: 96 h

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EL50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	09.06.2026	11660144-00006	05.05.2026
			Date of first issue: 04.03.2026

Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (green algae)):
1,000 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.16 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 0.0052 mg/l Exposure time: 48 h NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to fish (Chronic toxicity)	:	NOEC: 0.02 mg/l Exposure time: 36 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	100

12.2 Persistence and degradability

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301D
------------------	---	--

Chrysanthemum cinerariaefolium, ext.:

Biodegradability	:	Result: Not readily biodegradable. Method: OECD Test Guideline 301B
------------------	---	--

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

Biodegradability : Result: Readily biodegradable.
Biodegradation: 69 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 62 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Partition coefficient: n-octanol/water : log Pow: 5

Chrysanthemum cinerariaefolium, ext.:

Bioaccumulation : Bioconcentration factor (BCF): 471

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Partition coefficient: n-octanol/water : log Pow: < 1

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | | |
|------------------------|---|--|
| Product | : | Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Do not dispose of waste into sewer. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product. |
| Waste Code | : | The following Waste Codes are only suggestions:

used product
02 01 08*, agrochemical waste containing hazardous substances

unused product
02 01 08*, agrochemical waste containing hazardous substances

uncleaned packagings
15 01 10*, packaging containing residues of or contaminated by hazardous substances |

SECTION 14: Transport information

14.1 UN number or ID number

- | | | |
|------|---|---------|
| ADN | : | UN 3082 |
| ADR | : | UN 3082 |
| RID | : | UN 3082 |
| IMDG | : | UN 3082 |
| IATA | : | UN 3082 |

14.2 UN proper shipping name

- | | | |
|------|---|---|
| ADN | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| II | | (Pyrethrins solution) |
| ADR | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| II | | (Pyrethrins solution) |
| RID | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| II | | (Pyrethrins solution) |
| IMDG | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

II	N.O.S. (Pyrethrins solution)
IATA	: Environmentally hazardous substance, liquid, n.o.s.
II	(Pyrethrins solution)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
RID	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous
IATA (Passenger)	
Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

Number on list 40

This substance/mixture shall not be used in aerosol dispensers intended for supply to the general public for entertainment and decorative purposes.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Number on list 75

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Substance(s) or mixture(s) are listed

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

Product Type : Insecticides, acaricides and products to control other arthropods

Active substance : 30 g/l
Chrysanthemum cinerariaefolium, ext. (Pyrethrins)

135 g/l
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)

Remarks: Not applicable

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

Full text of H-Statements

EUH066	: Repeated exposure may cause skin dryness or cracking.
EUH071	: Corrosive to the respiratory tract.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H310	: Fatal in contact with skin.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H330	: Fatal if inhaled.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Eye Irrit.	: Eye irritation
Skin Sens.	: Skin sensitisation
Eye Dam.	: Serious eye damage

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test popula-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: 05.05.2026
5.0	09.06.2026	11660144-00006	Date of first issue: 04.03.2026

tion; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Aquatic Chronic 1 H410

Classification procedure:

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN